

Declaration of Absence of Plasticizers

RoofSupport

Roof Support

Article numbers: RSC102011, RSXL102011, RSK102011

HS code: 39259020

Conduct Technical Solutions B.V. hereby declares that **RSC102011, RSXL102011, and RSK102011** have been tested for the presence of specific phthalates (plasticizers).

RSC102011, RSXL102011, and RSK102011 consist of two plastic components: a top section made of PE (UV resistant) and a bottom section made of PP (UV resistant). Both materials have been tested separately by Centre Testing International Group Co., Ltd. (CTI). In the official test reports, these components are referred to as "Top of the pyramid: PE (UV resistant)" and "Bottom plate: PP (UV resistant)".

Both materials were tested in accordance with EN 14372:2004(E) using GC-MS for the following phthalates:

- Dibutyl phthalate (DBP)
- Butyl benzyl phthalate (BBP)
- Di-(2-ethylhexyl) phthalate (DEHP)
- Di-n-octyl phthalate (DNOP)
- Di-isononyl phthalate (DINP)
- Di-isodecyl phthalate (DIDP)

Tested Item(s)	Result	MDL
	001	
Dibutyl phthalate (DBP) CAS#:84-74-2	N.D.	30 mg/kg
Butyl benzyl phthalate (BBP) CAS#:85-68-7	N.D.	30 mg/kg
Di-(2-ethylhexyl) phthalate (DEHP) CAS#:117-81-7	N.D.	30 mg/kg
Di-n-octyl phthalate (DNOP) CAS#:117-84-0	N.D.	30 mg/kg
Di-isononyl phthalate (DINP) CAS#:28553-12-0, 68515-48-0	N.D.	50 mg/kg
Di-iso-decyl phthalate (DIDP) CAS#:26761-40-0, 68515-49-1	N.D.	50 mg/kg

Tested Item(s)	Result	MDL
	001	
Dibutyl phthalate (DBP) CAS#:84-74-2	N.D.	30 mg/kg
Butyl benzyl phthalate (BBP) CAS#:85-68-7	N.D.	30 mg/kg
Di-(2-ethylhexyl) phthalate (DEHP) CAS#:117-81-7	N.D.	30 mg/kg
Di-n-octyl phthalate (DNOP) CAS#:117-84-0	N.D.	30 mg/kg
Di-isononyl phthalate (DINP) CAS#:28553-12-0, 68515-48-0	N.D.	50 mg/kg
Di-iso-decyl phthalate (DIDP) CAS#:26761-40-0, 68515-49-1	N.D.	50 mg/kg

Remark:

- MDL = Method Detection Limit
- N.D. = Not Detected (<MDL)
- mg/kg = ppm = parts per million

For both tested materials, the result for all substances listed above was N.D. (Not Detected). This means that these phthalates were not detected above the detection limit of the applied test method.

This declaration is based on the following official CTI test reports:

Report A2260641885103

Tested material: Top of the pyramid – PE (UV resistant)

Report A2260641885104

Tested material: Bottom plate – PP (UV resistant)